Amendments to the Claims:

This listing of claims will replace all prior versions and listings of the claims in this application:

Listing of Claims:

- 1. (Original) A system for interlocking a plurality of portable medical devices in a side-by-side relationship, the system comprising:
- the plurality of medical devices including a first medical device and a second medical device;
- the first medical device including a housing having opposite sides, at least one of the opposite sides including a matable element;
- the second medical device including a housing having opposite sides, at least one of the opposite sides of the housing of the second medical device including a matable element for detachably interconnecting to the matable element of the first medical device and attaching the first and second medical devices; and
- wherein at least one of the medical devices includes a selective means for restricting the attachment of the second medical device to only one of the opposite sides of the first medical device housing.
- 2. (Original) The system of claim 1, wherein the at least one of the medical devices is provided with only a single matable element, constituting the selective means.
- 3. (Original) The system of claim 1, wherein the first medical device is provided with two matable elements, one matable element being located on each of the opposite sides of the first medical device housing.
- 4. (Original) The system of claim 3, wherein the selective means includes a locking element which restricts attachment of the second medical device to the first medical device to only one of the opposite sides of the first medical device once the first medical device is attached to a support member.

Appl. No. 10/696,830 Amdt dated September 21, 2009

- 5. (Original) The system of claim 4, wherein the first medical device includes a clamp mechanism for mounting at least one medical device to a support member.
- 6. (Original) The system of claim 5, wherein the clamp mechanism has a hole therein for slidably receiving the locking element, the locking element adapted to apply force on a component of the medical device when the clamp body is affixed to a support member.
- 7. (Original) The system of claim 5, wherein the clamp mechanism has a slide-ratcheting means for permitting a user to close the clamp mechanism about the support member by application of linear force to the clamp mechanism.
- 8. (Original) The system of claim 1, wherein at least one of the medical devices includes a blocking means for preventing a third medical device from attaching to either the first or second medical devices once the first and second medical devices are attached.
- 9. (Original) The system of claim 1, wherein at least one of the medical devices includes a latch element which detachably locks the first and second medical devices together once the first and second medical devices are attached.
- 10. (Original) The system of claim 9, wherein a release element is operatively associated with the latch element, the release element permitting a user to selectively disengage the latch element.
- 11. (Original) The system of claim 9, wherein the first medical device includes the latch element, the first medical device is provided with two matable elements where one matable element is located on each of the opposite sides of the first medical device housing, and wherein the latch element extends from the first medical device housing side that is not adjacent the attached second medical device and is secured in a position which prevents a third medical device from being added to the first medical device once the first and second medical devices are attached.

Appl. No. 10/696,830 Amdt dated September 21, 2009

- 12. (Original) The system of claim 1, wherein the first and second medical devices each include a transceiver, the transceivers being aligned for communication between the medical devices once the first and second medical devices are attached.
- 13. (Original) A system for interlocking a plurality of portable medical devices in a side-by-side relationship, the system comprising:
- the plurality of medical devices including a first medical device and a second medical device;
- the first medical device including a housing having opposite sides, at least one of the opposite sides including a matable element;
- the second medical device including a housing having opposite
 sides, at least one of the opposite sides of the housing of the second
 medical device including a matable element for detachably
 interconnecting to the matable element on the first medical device
 housing

and attaching the first and second medical devices; and

- wherein at least one of the medical devices includes a blocking means for preventing a third medical device from attaching to either the first or second medical device once the first and second medical devices are attached.
- 14. (Original) The system of claim 13, wherein the at least one of the medical devices is provided with only a single matable element, constituting the blocking means.
- 15. (Original) The system of claim 13, wherein the first medical device is provided with two matable elements, a first matable element being located on one of the first medical device housing sides and a second matable element being located on the first medical device housing opposite side.
- 16. (Original) The system of claim 15, wherein the blocking means includes a blocking element associated with the first medical device which blocks attachment of a third medical device to the first medical device once the first and second medical devices are attached.

Appl. No. 10/696,830

Amdt dated September 21, 2009

17. (Original) The system of claim 13, wherein at least one of the medical devices

includes a latch element which detachably locks the first and second medical

devices together once the first and second medical devices are attached.

18. (Original) The system of claim 17, wherein a release element is operatively

associated with the latch element, the release element permitting a user to

selectively disengage the latch element.

19. (Original) The system of claim 17, wherein the first medical device includes the

latch element, the first medical device is provided with two matable elements where

one matable element is located on each of the first medical device housing opposite

sides, and wherein the blocking means includes the latch element which extends

from

the first medical housing side that is not adjacent the attached second medical device,

the latch element being secured in a position which prevents a third medical device

from being added to the first medical device once the first and second medical

devices are attached.

20. (Original) The system of claim 13, wherein the first and second medical devices

each include a transceiver, the transceivers being aligned for communication between

the medical devices once the first and second medical devices are attached.

Claims 21-33 (Cancelled)

Claims 34-57 (Cancelled)

Claims 58-69 (Cancelled)

Claims 70-71 (Cancelled)

72. (Original) A medical device in accordance with claim 1, wherein the matable

element on the first medical device includes a ramped portion allowing the matable

element on the first medical device to mate with the matable element on the second

medical device when said matable elements are not precisely aligned.

5

Appl. No. 10/696,830 Amdt dated September 21, 2009

73. (Original) A medical device in accordance with claim 1, wherein the matable

element on the second medical device includes a tapered portion allowing the

matable element on the first medical device to mate therewith when said matable

elements are not precisely aligned.

74. (Original) A medical device in accordance with claim 1, wherein the matable

elements are corresponding male T-slides and female T-slots.

75. (Original) A medical device in accordance with claim 13, wherein the matable

element on the first medical device includes a ramped portion allowing the matable

element on the second medical device to mate therewith when said matable elements

are not precisely aligned.

76. (Original) A medical device in accordance with claim 13, wherein the matable

element on the second medical device includes a tapered portion allowing the

matable element on the first medical device to mate therewith when said matable

elements are not precisely aligned.

77. (Original) A medical device in accordance with claim 13, wherein matable

elements are corresponding male T-slides and female T-slots.

Claims 78-83 (Cancelled)

6